

CAVIUS

PERSONAL
ATTACK
ALARM



SMOKE
ALARM



MOVEMENT SENSOR
DOOR &
BAG
ALARM



DANISH
DESIGN



TRAVEL
ALARM




reddot design award
winner 2011



product
design
award
2011





PRODUCT DATA:

SMOKE ALARM TYPE:

Optical Smoke Alarm and motion detector device

USAGE:

Designed for added safety when travelling. Smoke detector to be activated when staying at hostels and hotels with low safety level. Motion sensor to be activated and device to be placed in front of door or hooked onto the backpack etc. Attack alarm to be activated in unsafe situations. Carabina clip included for easy attachment to bags, belts etc.

FUNCTION:

Travel alarm with 3 functions:

1. Attack alarm.
2. Smoke alarm.
3. Motion alarm. Both smoke alarm and motion alarm mode can be activated at the same time.

ISOTOPE ACTIVITY:

DC

OPERATION AC/DC:

1 x 1,5v AA battery

BATTERY TYPE:

1 x 1,5v AA battery

BATTERY LIFE:

Minimum 5 year life in normal operating condition as described above.

PRODUCT TYPE: OPTICAL SMOKE ALARM, MOTION SENSOR

PRODUCT NUMBER: 1001-001

SOUND:

Audible indicator min. 90 dB @ 1 meter in anechoic chamber.

SOUND PATTERN:

Alarm sound is a continuous sound, sweeping from high to low tone for maximum alertness.

VISIBLE INDICATOR:

Smoke function mode: Yellow LED
Motion function mode: Green LED
Alarm mode: Red LED

WARRANTY:

1 year.

PRODUCT WEIGHT (GR):

60 gr. (including 1 x AA battery).

OPERATING TEMPERATURE:

+4°C to +38°C (tested from 0 degrees to 55 degrees).

OPERATING HUMIDITY:

Up to 90% RH non-condensing

APPROVALS:

CE / EMC
ROHS
REACH

CE TESTING INSTITUTE:

ITS

AWARDS:

Red Dot 2011 Design



reddot design award
winner 2011

Awards IF 2011 Design Award



product
design
award

2011 ■

ASSOCIATIONS:

Cavius is member of GIFSID, manufacturers' association of domestic fire safety equipment

STORAGE TEMPERATURE:

-20°C to +60°C

STORAGE HUMIDITY:

Up to 93% RH non-condensing

CONTACT

www.cavius.com

MANUFACTURER

Manufacturer: Cavius Aps, DK8600

CAVIUS

